Specifications

Bertazzoni La Germania cooking machines are designed for the modern integrated kitchen. They combine performance and function in different styles to suit different tastes. Cookers with single-piece worktops are height adjustable to fit in to your kitchen surface perfectly. In addition, the Futura range includes contemporary style built-in ovens and hobs. A choice of matching ventilation systems and accessories completes the line-up.

Key to icons used in these specifications

- Oven light
- Upper heating element
- Lower heating element
- Upper and lower heating element
- Grill element
- Small grill element
- Fan with circular heating element
- Fan with grill element
- Fan with lower heating element
- Fan with upper and lower heating element
- Fan
- Defrosting

Disclaimer

While every care is taken to insure that the information in these pages is correct it may be subject to technical inaccuracies or typographical errors. The specifications may vary from territory to territory and are subject to change without notice.

©Bertazzoni SpA 2013

FUTURA

Built-in Ovens

F668D9X/12

F660D9X/12

F650D9X/12

F670D9X/12

F650E9X/12
F670E9X/12

F969D9X/12

F980D9X/12

Microwave

F45MWOD9X

Warming Drawer

WD60 CON X/12

WD60 PRO X/12

Coffee Machine

M45 CAF X

EPOCA

Built-in Ovens

F668CN9NE

FUTURA

Built-in Hobs

P910 1 K9 XT
P910 1 K9 X

P910 1 H9 XT
P910 1 H9 X

P680 1 H9 XT
P680 1 H9 X

P910 1 D9 X
P710 1 D9 X

P9C0 1 D9 XT

P950 1 D9 XT
P950 1 D9 X

P680 1 D9 X
P640 1 D9 X

P650 1 D9 XT
P650 1 D9 X

P95L EL X
P75L EL X

P95C EL X
P75C EL X

P64L EL X

P9C 01 G9 XT
P7C 01 G9 XT

P910 1 G9 X/12
P710 1 G9 X/12

P640 1 G9 X/12

P90C D9 X/12
P60C D9 X/12
P30C D9 X/12

P6 4I E0 N
P6 4I T0 N

EPOCA

Built-in Hobs

P9C0 1 CN9 NE

P910 1 CN9 NE
P710 1 CN9 NE

P680 1 CN9 NE

FUTURA

Ventilation Hoods

K9 G9 X

K6 G9 X

AMERICANA & EPOCA

Ventilation Hoods

K90 AMB X

K60 AMB X

HOC90VICF

HOC60VICF

FUTURA

A – Main Features
stainless-steel single-piece worktop, brass burners, 5 kW dual burner (3,8 kW for 60 cm), cast iron supports, fascia thermometer, U-shaped oven door trims, wide removable inner glass door, worktop handrail, toe-kick panel

TUD 5C 61 A X
TUD 5C 71 A X

TU9 5C 61 A X
TU9 5C 71 A X
TU9 5C 81 A X

TU7 5C 61 A X
TU7 5C 71 A X

TU6 4C 61 A X
TU6 4C 71 A X

B – Main Features
stainless-steel single-piece worktop, aluminum burners, 3,8 kW triple ring, cast iron supports, touch control programmer, fascia thermometer, U-shaped oven door trims, wide removable inner glass door

TUD 5C 61 B X
TUD 5C 71 B X

TU9 5C 61 B X
TU9 5C 71 B X
TU9 5C 81 B X

TU7 5C 61 B X
TU7 5C 71 B X

TU6 4C 61 B X
TU6 4C 71 B X

C – Main Features
stamped stainless-steel worktop, aluminum burners, light cast iron supports, electronic programmer, U-shaped oven door trims, wide removable inner glass door, upstand

TUD 5C 61 C X
TUD 5C 71 C X

TU9 5C 61 C X
TU9 5C 71 C X
TU9 5C 81 C X

TU8 5C 61 C X
TU8 5C 71 C X
TU8 5C 81 C X

TU6 4C 61 C X
TU6 4C 71 C X

TU1 40 61 C X
TU1 40 71 C X

D – Main Features
stamped stainless-steel worktop, aluminum burners, large section enamel pan support, minute minder, mirror finishing oven door, stamped inner oven door, glass worktop lid

TUD 5C 61 D X
TUD 5C 71 D X

TU9 5C 41 D X
TU9 5C 31 D X
TU9 5C 21 D X

TUP 5C 41 D X
TUP 5C 31 D X
TUP 5C 21 D X

TU8 5C 41 D X
TU8 5C 31 D X
TU8 5C 21 D X

TU6 40 51 D X
TU6 40 31 D X
TU6 40 21 D X

TU1 40 51 D X
TU1 40 31 D X
TU1 40 21 D X

AMERICANA

A – Main Features
stainless-steel single-piece worktop, brass burners, 5 kW dual burner, cast iron supports, fascia thermometer, stainless steel oven door, wide removable inner glass door, worktop handrail, toe-kick panel

AMD 5C 61 A X
AMD 5C 71 A X

AM9 5C 61 A X
AM9 5C 71 A X
AM9 5C 81 A X

B – Main Features
stainless-steel single-piece worktop, aluminum burners, 3,8 kW triple ring, cast iron supports, fascia thermometer, stainless steel oven door, wide removable inner glass door

AMD 5C 61 B X
AMD 5C 71 B X

AM9 5C 61 B X
AM9 5C 71 B X
AM9 5C 81 B X

AM7 5C 61 B X
AM7 5C 71 B X

AM6 4C 61 B X
AM6 4C 71 B X

C – Main Features
stamped stainless-steel worktop, aluminum burners, light cast iron supports, analogic clock, U-shaped oven door, wide removable inner glass door

AMD 5C 61 C X
AMD 5C 71 C X

AM9 5C 61 C X
AM9 5C 71 C X
AM9 5C 81 C X

AM8 5C 61 C X
AM8 5C 71 C X
AM8 5C 81 C X

AM6 4C 61 C X
AM6 4C 71 C X

AM1 40 61 C X
AM1 40 71 C X

D – Main Features
stamped stainless-steel worktop, aluminum burners, light cast iron supports, analogic clock, minute minder, stamped oven door, glass worktop lid

AMD 5C 61 D X
AMD 5C 71 D X

AM9 5C 41 D X
AM9 5C 31 D X
AM9 5C 21 D X

AMP 5C 41 D X
AMP 5C 31 D X
AMP 5C 21 D X

AM8 5C 41 D X
AM8 5C 31 D X
AM8 5C 21 D X

AM6 40 51 D X
AM6 40 31 D X
AM6 40 21 D X

AM1 40 51 D X
AM1 40 31 D X
AM1 40 21 D X

EPOCA

A – Main Features
stainless-steel single-piece worktop, brass burners, 5 kW dual burner, cast iron supports, fascia thermometer, metal oven door, wide removable inner glass door, worktop handrail, toe-kick panel, upstand

CND 5C 71 A NE

CN9 5C 61 A NE
CN9 5C 71 A NE
CN9 5C 81 A NE

B – Main Features
stainless-steel single-piece worktop, aluminum burners, 3,8 kW triple ring burner, cast iron supports, fascia thermometer, metal oven door, wide removable inner glass door, upstand

CND 5C 71 B NE

CN9 5C 61 B NE
CN9 5C 71 B NE
CN9 5C 81 B NE

CN6 4C 61 B NE
CN6 4C 71 B NE
CN6 4C 81 B NE

C – Main Features
stamped stainless-steel worktop, aluminum burners, light cast iron supports, analogic clock, U-shaped oven door, wide removable inner glass door, upstand

CN9 5C 61 C NE
CN9 5C 71 C NE
CN9 5C 81 C NE

CN8 5C 61 C NE
CN8 5C 71 C NE
CN8 5C 81 C NE

CN6 4C 61 C NE
CN6 4C 71 C NE
CN6 4C 81 C NE

D – Main Features
stamped coloured-steel worktop, aluminum burners, large section enamel pan supports, timer, stamped oven door, glass worktop lid

CN9 5C 71 D NE
CN9 5C 31 D NE
CN9 5C 21 D NE

CN8 5C 71 D NE
CN8 5C 31 D NE
CN8 5C 21 D NE

CN6 40 71 D NE
CN6 40 31 D NE
CN6 40 21 D NE

Bertazzoni La Germania

Futura

FUTURA	**60 Electric 9-Function Oven** **F668D9X/12**
Size	60 x 60 cm
Oven	electric multifunction 9 functions:
volume	65 L
nominal power	3,5 kW
oven equipment	1 oven tray, 2 wire shelves, 1 grill mesh, trivet
Energy class	A
Features	touch digital programmer, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	594 mm
height	594 mm
depth	535 mm
Colour	stainless steel

FUTURA	**60 Electric 9-Function Oven** **F660D9X/12**
Size	60 x 60 cm
Oven	electric multifunction 9 functions:
volume	65 L
nominal power	3,5 kW
oven equipment	1 oven tray, 1 wire shelf
Energy class	A
Features	end of cooking, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	594 mm
height	594 mm
depth	535 mm
Colour	stainless steel

FUTURA	60 Electric 5-Function Oven F650D9X/12
Size	60 x 60 cm
Oven	electric 5 functions:
volume	65 L
nominal power	2,3 kW
oven equipment	1 oven tray, 1 wire shelf
Energy class	A
Features	end of cooking, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	594 mm
height	594 mm
depth	535 mm
Colour	stainless steel

FUTURA	60 Electric 5-Function Oven F650D9N/12	60 Electric 5-Function Oven F650D9W/12
Size	60 x 60 cm	60 x 60 cm
Oven	electric 5 functions:	electric 5 functions:
volume	65 L	65 L
nominal power	2,3 kW	2,3 kW
oven equipment	1 oven tray, 1 wire shelf	1 oven tray, 1 wire shelf
Energy class	A	A
Features	end of cooking, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement	end of cooking, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions		
width	594 mm	594 mm
height	594 mm	594 mm
depth	535 mm	535 mm
Colour	black	white

FUTURA	60 Gas Convection Oven Electric Grill F670D9X/12	60 Gas Convection Oven Gas Grill F680D9X
Size	60 x 60 cm	60 x 60 cm
Oven	gas convection with electric grill:	gas convection with gas grill:
volume	65 L	65 L
nominal power	2,8 kW	2,8 kW
oven equipment	1 oven tray, 1 wire shelf	1 oven tray, 1 wire shelf
Energy class	-	-
Features	3 metal knobs, minute minder, easy to clean enamel, metal design handle, full width double glass door, cooling fan, 1 oven light, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement	3 metal knobs, minute minder, easy to clean enamel, metal design handle, full width double glass door, cooling fan, 1 oven light, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions		
width	594 mm	594 mm
height	594 mm	594 mm
depth	535 mm	535 mm
Colour	stainless steel	stainless steel

FUTURA	60 Electric 5-Function Oven F650E9X/12	60 Gas Convection Oven Electric Grill F670E9X/12
Size	60 x 60 cm	60 x 60 cm
Oven	electric 5 functions:	gas convection with electric grill:
volume	65 L	65 L
nominal power	2,3 kW	2,8 kW
oven equipment	1 oven tray, 1 wire shelf	1 oven tray, 1 wire shelf
Energy class	A	-
Features	end of cooking, vitreous black enamel, metal design handle, metal knobs, double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement	3 metal knobs, minute minder, vitreous black enamel, metal design handle, double glass door, cooling fan, 1 oven light, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions		
width	594 mm	594 mm
height	594 mm	594 mm
depth	535 mm	535 mm
Colour	stainless steel	stainless steel

FUTURA	**90 Electric 9-Function Oven** **F969D9X/12**
Size	90 x 48 cm
Oven	electric multifunction 9 functions:
volume	75 L
nominal power	3,5 kW
oven equipment	1 oven tray, 2 wire shelves, 1 grill mesh, trivet
Energy class	A
Features	2 metal knobs, touch time control, Easy To Clean enamel, metal design handle, metal knobs, full width double glass door, cooling fan, double illumination, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	893 mm
height	477 mm
depth	538 mm
Colour	stainless steel

FUTURA	**90 Gas Convection Oven Grill Gas** **F980D9X**
Size	90 x 60 cm
Oven	active fan convention gas oven with gas grill:
volume	99 L
nominal power	2,8 kW
oven equipment	1 oven tray, 1 wire shelf
Energy class	-
Features	3 metal knobs, minute minder, Easy to Clean enamel, metal design handle, double glass door, cooling fan, 2 oven lights, 50-250°C temperature range, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	896 mm
height	595 mm
depth	570 mm
Colour	stainless steel

FUTURA	60 Combi-Microwave Oven F45MWOD9X	60 Combi-Microwave Oven F45MWOD9X-60
Size	60 x 45 cm	60 x 45 cm
Oven volume oven power grill power microwave power oven equipment Energy class	combined electric and microwave oven; 6 manual functions; 15 automatic cooking programs 44 L 1700 W (convection) 1750 W + 600 W 900 W metal turntable (360 mm dia.) A	combined electric and microwave oven; 6 manual functions; 15 automatic cooking programs 44 L 1700 W (convection) 1750 W + 600 W 900 W metal turntable (360 mm dia.) A
Features	2 metal knobs, LED display, stainless steel cavity, double glass door, cooling fan, 1 oven light, 50–250°C temperature range, 220–240 V / 50 Hz electrical requirement	2 metal knobs, LED display, stainless steel cavity, double glass door, cooling fan, 1 oven light, 50–250°C temperature range, 220–240 V / 60 Hz electrical requirement
Dimensions width height depth	 582 mm 440 mm 539 mm	 582 mm 440 mm 539 mm
Colour	stainless steel	stainless steel

FUTURA	60x45 Coffee Machine M45 CAF X
Size	60 x 45 cm
Features	Coffee function for regular or double coffee (1 or 2 cups at same time) Steam function for cappuccino Hot water function for tea or other hot drinks Ground coffee option Coffee intensity adjustable (5 levels): extra-light, light, medium, strong, extra-strong Coffee length adjustable (3 levels): short/expresso, medium, long Programmable automatic switch on Automatic rinsing Automatic descaling Adjustable coffee temperature (3 levels) Adjustable coffee grinder Automatic energy saving stand-by Programmable display multi-language Frothing nozzle for cappuccino Adjustable coffee dispenser (for tall or short cup) Drip tray 2 Lights Telescopic guides 1,80 Lt capacity of water tank averagely 45 coffee cups 220 g capacity of coffee beans container 15 bar pump pressure 1350 W nominal power Electrical requirements 220-240 V/50-60 Hz
Dimensions width height depth	 595 mm 455 mm 398 mm
Colour	black with stainless steel frame

FUTURA	**60 Warming Drawer** **WD60 CON X/12**
Size	60 x 12 cm
Features	Push/pull with soft motion operation Inner rubber mat Power 400 W Thermostat light on/off Capacity 25 kg Temperature range 30~85° C
Dimensions	
width	595 mm
height	121 mm
depth	545 mm
Colour	black with stainless steel frame

FUTURA	**60 Warming Drawer** **WD60 PRO X/12**
Size	60 x 12 cm
Features	Push/pull with soft motion operation Inner rubber mat Power 400 W Thermostat light on/off Capacity 25 kg Temperature range 30~85° C
Dimensions	
width	595 mm
height	121 mm
depth	545 mm
Colour	stainless steel

FUTURA	90 5-Brass Burners Single Supports Hob P910 1 K9 XT	90 5-Burners Single Supports Hob P910 1 K9 X
Size	86 x 50 cm	86 x 50 cm
Worktop	5 brass burners including central dual burner (5 kW)	5 aluminum burners including central dual burner (5 kW)
Burner Power dual wok (1) rapid (1) semi-rapid (2) auxiliary (1)	 5 kW 3 kW 1,75 kW 1 kW	 5 kW 3 kW 1,75 kW 1 kW
Features	single cast iron pan supports, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	single cast iron pan supports, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel
Option		available with Antiscratch worktop P910 1 K9 X M

Antiscratch worktop



FUTURA	90 5-Brass Burners Side Control Hob P910 1 H9 XT	90 5-Burners Side Control Hob P910 1 H9 X
Size	86 x 50 cm	86 x 50 cm
Worktop	5 brass burners including central dual burner (5 kW)	5 aluminum burners including central dual burner (5 kW)
Burner Power dual wok (1) rapid (1) semi-rapid (2) auxiliary (1)	 5 kW 3 kW 1,75 kW 1 kW	 5 kW 3 kW 1,75 kW 1 kW
Features	light iron pan support, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light iron pan support, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel
Option		available with Antiscratch worktop P910 1 H9 X M

Antiscratch worktop



FUTURA	90 5-Brass Burners Front Control	60 4-Burners Front Control
	P680 1 H9 XT	**P680 1 H9 X**
Size	59 x 50 cm	59 x 50 cm
Worktop	4 brass burners including lateral dual burner (5 kW)	4 aluminum burners including lateral dual burner (5 kW)
Burner Power		
dual wok (1)	5 kW	5 kW
rapid (1)	3 kW	3 kW
semi-rapid (1)	1,75 kW	1,75 kW
auxiliary (1)	1 kW	1 kW
Features	light cast iron pan support, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light cast iron pan support, heavy gauge matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel

FUTURA	90 5-Burners, Triple Ring Hob	70 5-Burners, Triple Ring Hob
	P910 1 D9 X	**P710 1 D9 X**
Size	86 x 50 cm	74 x 50 cm
Worktop	5 aluminum burners including central triple ring burner	5 aluminum burners including central triple ring burner
Burner Power		
triple ring (1)	3,5 kW	3,5 kW
rapid (1)	3 kW	3 kW
semi-rapid (2)	1,75 kW	1,75 kW
auxiliary (1)	1 kW	1 kW
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel
Option	available with Antiscratch worktop P910 1 D9 X M	

Antiscratch worktop



FUTURA	90 3-Brass Burners, Double Wok Hob P9C0 1 D9 XT
Size	86 x 50 cm
Worktop	3 brass gas burners including two lateral brass dual wok burners (5 kW)
Burner Power dual wok (2) rapid semi-rapid (1) auxiliary	 5 kW - 1,75 kW -
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel



FUTURA	90 3-Burners Brass Dual Wok Hob P950 1 D9 XT	90 3-Burners Dual Wok Hob P950 1 D9 X
Size	86 x 50 cm	86 x 50 cm
Worktop	3 brass gas burners including lateral brass dual burner (5 kW)	3 aluminum gas burners including lateral brass dual burner (5 kW)
Burner Power dual wok (1) rapid (1) semi-rapid (1) auxiliary	 5 kW 3 kW 1,75 kW -	 5 kW 3 kW 1,75 kW -
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel



FUTURA	60 4-Burners, Triple Ring Hob	60 4-Burners, Hob
	P680 1 D9 X	**P640 1 D9 X**
Size	59 x 50 cm	59 x 50 cm
Worktop	4 burners including lateral triple burner	4 burners
Burner Power		
triple ring (1)	3,5 kW	-
rapid (1)	-	3 kW
semi-rapid (2)	1,75 kW	1,75 kW
auxiliary (1)	1 kW	1 kW
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel

FUTURA	60 3-Brass Burners, Dual Wok Hob	60 3-Burners Dual Wok Hob
	P650 1 D9 XT	**P650 1 D9 X**
Size	59 x 50 cm	59 x 50 cm
Worktop	3 brass burners including lateral dual wok (5 kW)	3 aluminum burners including lateral dual burner (5 kW)
Burner Power		
dual wok (1)	5 kW	5 kW
rapid (1)	3 kW	3 kW
semi-rapid	-	-
auxiliary (1)	1 kW	1 kW
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, AISI 304 stainless steel, flame failure device, one touch ignition
Colour	stainless steel	stainless steel

FUTURA	90 5-Burners Squared Pan Support	70 5-Burners Squared Pan Support
	P95LELX	**P75LELX**
Size	91 x 51 cm	68 x 51 cm
Worktop	5 burners including lateral dual wok burner	5 burners including central dual wok burner
Burner Power		
dual wok (1)	4 kW	4 kW
rapid (1)	3 kW	3 kW
semi-rapid (2)	1,75 kW	1,75 kW
auxiliary (1)	1 kW	1 kW
Features	heavy gauge matt enamelled burner caps, cast iron pan support, metal knobs, flame failure device, one hand ignition	heavy gauge matt enamelled burner caps, cast iron pan support, metal knobs, flame failure device, one hand ignition
Colour	stainless steel	stainless steel



FUTURA	90 5-Burners Squared Pan Support	70 5-Burners Squared Pan Support
	P95CELX	**P75CELX**
Size	91 x 51 cm	68 x 51 cm
Worktop	5 burners including central dual wok burner	5 burners including central dual wok burner
Burner Power		
dual wok (1)	4 kW	4 kW
rapid (1)	3 kW	3 kW
semi-rapid (2)	1,75 kW	1,75 kW
auxiliary (1)	1 kW	1 kW
Features	heavy gauge matt enamelled burner caps, cast iron pan support, metal knobs, flame failure device, one hand ignition	heavy gauge matt enamelled burner caps, cast iron pan support, metal knobs, flame failure device, one hand ignition
Colour	stainless steel	stainless steel



FUTURA	60 4-Burners Squared Pan Support
	P64LELX
Size	62 x 51 cm
Worktop	4 burners including lateral dual wok burner
Burner Power	
dual wok (1)	4 kW
rapid (1)	3 kW
semi-rapid (1)	1,75 kW
auxiliary (1)	1 kW
Features	cast iron pan support, metal knobs, flame failure device, one hand ignition
Colour	stainless steel

FUTURA	90 2-Burners gas hob Ceramic glass	70 2-Burners gas hob Ceramic glass
	P9C01G9XT	**P7C01G9XT**
Size	86 x 45 cm	78 x 45 cm
Worktop	2 brass gas burners	2 brass gas burners
Burner Power		
dual wok	5 kW	5 kW
rapid	-	-
semi-rapid	-	-
auxiliary	-	-
Features	cast iron pan support, metal knobs, flame failure device, one hand ignition.	cast iron pan support, metal knobs, flame failure device, one hand ignition.
Colour	black ceramic glass	black ceramic glass



FUTURA	90 5-Burner Black Glass Hob P910 1 G9 X/12	70 5-Burner Black Glass Hob P710 1 G9 X/12
Size	86 x 50 cm	74 x 50 cm
Worktop	5 gas burners including central triple ring burner	5 gas burners including central triple ring burner
Burner Power		
triple ring	4 kW	4 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, flame failure device, one touch ignition	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, flame failure device, one touch ignition
Colour	black safety glass and aluminum frame	black safety glass and aluminum frame



FUTURA	60 4-Burner Black Glass Hob P640 1 G9 X/12
Size	59 x 50 cm
Worktop	4 gas burners
Burner Power	
triple ring	-
rapid	3 kW
semi-rapid	1,75 kW
auxiliary	1 kW
Features	light cast iron pan support, heavy gauge, matt enamelled burner caps, design metal knobs, flame failure device, one touch ignition
Colour	black safety glass and aluminum frame

FUTURA	90 Ceramic Hob	60 Ceramic Hob	30 Ceramic Hob
	P90C D9 X/12	**P60C D9 X/12**	**P30C D9 X/12**
Size	86 x 50 cm	59 x 50 cm	30 x 50 cm
Highlights			
Ø145 mm x 1,2 kW	2	2	1
Ø180 mm x 1,7 kW	1	2	1
Extensible Highlights			
Ø180x120 mm 1,7x0,7 kW	1	-	-
Ø170x265 mm 2,2x1,4+0,6 kW	1	-	-
Nominal power	8 kW	5,8 kW	2,9 kW
Features	design metal knobs, residual heat indicator	design metal knobs, residual heat indicato	design metal knobs, residual heat indicator
Colour	black ceramic glass and stainless steel frame	black ceramic glass and stainless steel frame	black ceramic glass and stainless steel frame



FUTURA	60 Induction Hob Touch	60 Induction Hob Touch
	P6 4I T0 N	**P6 4I E0 N**
Size	59 x 52 cm	58 x 51 cm
Induction Zones		
left front	140 mm - 1,5-2,0 kW booster	140 mm - 1,5-2,0 kW booster
left back	180 mm - 2,1-3,0 kW booster	180 mm - 2,1-3,0 kW booster
right front	180 mm - 2,1-3,0 kW booster	180 mm - 2,1-3,0 kW booster
right back	140 mm - 1,5-2,0 kW booster	140 mm - 1,5-2,0 kW booster
Nominal power	7,0 kW	autolimited min. 2,8 kW optional 3,5 kW, 6 kW or 7,2 kW
Features	9-stage power setting, touch sensor control, child lock, bevelled glass on 4 sides, 99 min. digital timer, residual heat indicator	9-stage power setting, touch sensor control, child lock, bevelled glass on 4 sides, 99 min. digital timer, residual heat indicator
Colour	black ceramic glass	black ceramic glass

FUTURA	90 5-Brass Burners, 2 Ovens Electric AX TUD 5C 61 A X	90 5-Brass Burners, 2 Ovens Gas, Electric AX TUD 5C 71 A X
Size	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power		
dual wok	5 kW	5 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 6 burners TUD 6C 61 A X	available with 6 burners TUD 6C 71 A X





FUTURA	90 5-Brass Burners Electric Oven AX TU9 5C 61 A X	90 5-Brass Burners Gas Oven Electric Grill AX TU9 5C 71 A X	90 5-Brass Burners Gas Oven Gas Grill AX TU9 5C 81 A X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power			
dual wok	5 kW	5 kW	5 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 6 burners TU9 6C 61 A X	available with 6 burners TU9 6C 71 A X	available with 6 burners TU9 6C 81 A X





FUTURA	70 5-Burners Electric Oven AX	70 5-Burners Gas Oven Electric Grill AX
	TU7 5C 61 A X	**TU7 5C 71 A X**
Size	70 x 60 cm	70 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple burner, upstand, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, aluminum burners, 3,8 kW triple burner, upstand, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel
Dimensions		
width	695 mm	695 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel



FUTURA	60 4-Burners Electric Oven AX	60 4-Burners Gas Oven Electric Grill AX
	TU6 4C 61 A X	**TU6 4C 71 A X**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple burner, upstand, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, aluminum burners, 3,8 kW triple burner, upstand, cast iron pan supports, black glass control panel, oven thermometer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass, toekick panel
Dimensions		
width	595 mm	595 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel

FUTURA	90 5-Burners 2 Electric Ovens BX TUD 5C 61 B X	90 5-Burners 2 Ovens Gas, Electric BX TUD 5C 71 B X
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional:	electric conventional:
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control clock, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 6 burners TUD 6C 61 B X	available with 6 burners TUD 6C 71 B X





FUTURA	90 5-Burners Electric Oven BX TU9 5C 61 B X	90 5-Burners Gas Oven Electric Grill BX TU9 5C 71 B X	90 5-Burners Gas Oven Gas Grill BX TU9 5C 81 B X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control clock, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control clock, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 6 burners TU9 6C 61 B X	available with 6 burners TU9 6C 71 B X	available with 6 burners TU9 6C 81 B X





FUTURA	70 5-Burners Electric Oven BX	70 5-Burners Gas Oven Electric Grill BX
	TU7 5C 61 B X	**TU7 5C 71 B X**
Size	70 x 60 cm	70 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control programmer, large knobs with "Milleluci" metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control clock, large knobs with "Milleluci" metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	695 mm	695 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel

FUTURA	60 4-Burners Electric Oven BX	60 4-Burners Gas Oven Electric Grill BX
	TU6 4C 61 B X	**TU6 4C 71 B X**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control programmer, large knobs with "Milleluci" metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, black glass control panel, touch-control clock, large knobs with "Milleluci" metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel

FUTURA	90 5-Burners 2 Ovens Electric CX TUD 5C 61 C X	90 5-Burners 2 Ovens Gas, Electric CX TUD 5C 71 C X
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional:	electric conventional:
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, light cast iron pan supports, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, light cast iron pan supports, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel



FUTURA	90 5-Burners Electric Oven CX TU9 5C 61 C X	90 5-Burners Gas Oven Electric Grill CX TU9 5C 71 C X	90 5-Burners Gas Oven Gas Grill CX TU9 5C 81 C X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 1 electric hotplate TU9 81 61 C X available with 2 electric hotplates TU9 42 61 C X		







FUTURA	80x50 5-Burners Electric Oven CX TU8 5C 61 C X	80x50 5-Burners Gas Oven Electric Grill CX TU8 5C 71 C X	80x50 5-Burners Gas Oven Gas Grill CX TU8 5C 81 C X
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,5 kW	2,65 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, large section enamel pan support, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, large section enamel pan support, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, large section enamel pan support, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 2 electric hotplates TU8 42 61 C X		



FUTURA	60 4-Burners Electric Oven CX TU6 4C 61 C X	60 4-Burners Gas Oven Electric Grill CX TU6 4C 71 C X
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	A
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, large section enamel pan support, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, large section enamel pan support, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 4 burners TU6 40 61 C X available with 1 electric hotplate TU6 51 61 C X available with 4 radiant zones TU6 0E 60 C X	available with 4 burners TU6 40 71 C X



FUTURA	60x50 4-Burners Electric Oven CX	60x50 4-Burners Gas Oven Electric Grill CX
	TU1 40 61 C X	**TU1 40 71 C X**
Size	60 x 50 cm	60 x 50 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners
Burner Power		
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan support, touch-control programmer, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan support, minute minder, large knobs with “Milleluci” metal finishing, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	853-923 mm	853-923 mm
depth	500 mm	600 mm
Colour	stainless steel	stainless steel

FUTURA	90 5-Burners 2 Ovens Electric DX	90 5-Burners 2 Ovens Gas, Electric DX
	TUD 5C 61 D X	**TUD 5C 71 D X**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional:	electric conventional:
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 1 wire shelve	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions		
width	895 mm	895 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel



FUTURA	90 5-Burners Electric Oven DX TU9 5C 41 D X	90 5-Burners Gas Oven Gas Grill DX TU9 5C 31 D X	90 5-Burners Gas Oven Electric Grill DX TU9 5C 21 D X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 1 electric hotplate TU9 81 61 D X available with 2 electric hotplates TU9 42 61 D X		



FUTURA	90 5-Burners Electric Oven, Storage Compartment DX TUP 5C 41 D X	90 5-Burners Gas Oven Gas Grill, Storage Compartment DX TUP 5C 31 D X	90 5-Burners Gas Oven, Electric Grill Storage Compartment DX TUP 5C 21 D X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	51 L	51 L	51 L
oven power	2,2 kW	2 kW	3 kW
grill power	-	1,5 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 1 electric hotplate TUP 81 61 D X available with 2 electric hotplates TUP 42 61 D X		



FUTURA	80 5-Burners Electric Oven DX TU8 5C 41 D X	80 5-Burners Gas Oven Gas Grill DX TU8 5C 31 D X	80 5-Burners Gas Oven Electric Grill DX TU8 5C 21 D X
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 2 electric hotplates TU8 42 61 D X		





FUTURA	60 4-Burners Electric Oven DX TU6 4C 51 D X	60 4-Burners Gas Oven Gas Grill DX TU6 4C 31 D X	60 4-Burners Gas Oven Electric Grill DX TU6 4C 21 D X
Size	60 x 60 cm	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 4 settings:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,2 kW	2 kW	3 kW
grill power	-	1,5 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions			
width	595 mm	595 mm	595 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 4 burners TU6 40 51 D X available with 1 electric hotplate TU6 51 51 D X available with 4 radiant zones TU6 0E 50 D X	available with 4 burners TU6 40 31 D X	available with 4 burners TU6 40 21 D X

FUTURA	60x50 4-Burners Electric Oven DX TU1 40 51 D X	60x50 4-Burners Gas Oven Gas Grill DX TU1 40 31 D X	60 4-Burners Gas Oven Electric Grill DX TU1 40 21 D X
Size	60 x 50 cm	60 x 50 cm	60 x 50 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners	4 aluminum gas burners
Burner Power			
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 4 settings:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,2 kW	2 kW	3 kW
grill power	-	1,5 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with metal finishing, one-hand ignition, mirror finishing oven door, double glass door
Dimensions			
width	595 mm	595 mm	595 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel

FUTURA	90 Hood K9 G9 X	60 Hood K6 G9 X
Size	90 cm	60 cm
Extraction Power	up to 1000 m³h	up to 1000 m³h
Features	exausting mode, grease aluminum filters, black glass control panel	exausting mode, grease aluminum filters, black glass control panel
Noise	58 dbA	58 dbA
Controls	design metal knobs	design metal knobs
Lights	halogen lamps 2 x 20 W	halogen lamps 2 x 20 W
Electrical Requirements	220/240 V, 50/60 Hz	220/240 V, 50/60 Hz
Colour	stainless steel	stainless steel

Optional, recirculation kit (901260)

Bertazzoni La Germania
Americana

AMERICANA	90 5-Brass Burners, 2 Ovens Electric AX	90 5-Brass Burners, 2 Ovens Gas, Electric AX
	AMD 5C 61 A X	**AMD 5C 71 A X**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power		
dual wok	5 kW	5 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	52 L	52 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, handrail for worktop, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, handrail for worktop, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass, toe kick panel
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 6 burners AMD 6C 61 A X	available with 6 burners AMD 6C 71 A X





AMERICANA	90 5-Brass Burners, 2 Ovens Electric AVI	90 5-Brass Burners, 2 Ovens Gas, Electric AVI
	AMD 5C 61 A VI	**AMD 5C 71 A VI**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power		
dual wok	5 kW	5 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	52 L	52 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, handrail for worktop, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, handrail for worktop, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	matt burgundy	matt burgundy
Option	available in matt cream AMD 5C 61 A CR T available in matt black AMD 5C 61 A NE T available with 6 burners matt burgundy AMD 6C 61 A VI matt cream AMD 6C 61 A CR matt black AMD 6C 61 A VI	available in matt cream AMD 5C 71 A CR T available in matt black AMD 5C 71 A NE T available with 6 burners matt burgundy AMD 6C 71 A VI matt cream AMD 6C 71 A CR matt black AMD 6C 71 A VI





AMERICANA	90 5-Brass Burners Electric Oven AX AM9 5C 61 A X	90 5-Brass Burners Gas Oven Electric Grill AX AM9 5C 71 A X	90 5-Brass Burners Gas Oven Gas Grill AX AM9 5C 81 A X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power			
dual wok	5 kW	5 kW	5 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass, toe kick panel
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 6 burners AM9 6C 61 A X	available with 6 burners AM9 6C 71 A X	available with 6 burners AM9 6C 81 A X





AMERICANA	90 5-Brass Burners Electric Oven AVI AM9 5C 61 A VI	90 5-Brass Burners Gas Oven Electric Grill AVI AM9 5C 71 A VI	90 5-Brass Burners Gas Oven Gas Grill AVI AM9 5C 81 A VI
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power			
dual wok	5 kW	5 kW	5 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	matt burgundy	matt burgundy	matt burgundy
Option	available in matt cream AM9 5C 61 A CR available in matt black AM9 5C 61 A NE available with 6 burners matt burgundy AM9 6C 61 A VI matt cream AM9 6C 61 A CR matt black AM9 6C 61 A VI	available in matt cream AM9 5C 71 A CR available in matt black AM9 5C 71 A NE available with 6 burners matt burgundy AM9 6C 71 A VI matt cream AM9 6C 71 A CR matt black AM9 6C 71 A VI	available in matt cream AM9 5C 81 A CR available in matt black AM9 5C 81 A NE available with 6 burners matt burgundy AM9 6C 81 A VI matt cream AM9 6C 81 A CR matt black AM9 6C 81 A VI





AMERICANA	90 5-Burners, 2 Electric Ovens BX	90 5-Burners, 2 Ovens Gas, Electric BX
	AMD 5C 61 B X	**AMD 5C 71 B X**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 6 burners AMD 6C 61 B X	available with 6 burners AMD 6C 71 B X





AMERICANA	90 5-Burners, 2 Electric Ovens BVI	90 5-Burners, 2 Ovens Gas, Electric BVI
	AMD 5C 61 B VI	**AMD 5C 71 B VI**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	matt burgundy	matt burgundy
Option	available in matt cream AMD 5C 61 D CR available in matt black AMD 5C 61 D NE available with 6 burners matt burgundy AMD 6C 61 B VI matt cream AMD 6C 61 B CR matt black AMD 6C 61 B VI	available in matt cream AMD 5C 71 D CR available in matt black AMD 5C 71 D NE available with 6 burners matt burgundy AMD 6C 71 B VI matt cream AMD 6C 71 B CR matt black AMD 6C 71 B VI





AMERICANA	90 5-Burners Electric Oven BX AM9 5C 61 B X	90 5-Burners Gas Oven Electric Grill BX AM9 5C 71 B X	90 5-Burners Gas Oven Gas Grill BX AM9 5C 81 B X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 6 burners AM9 6C 61 B X	available with 6 burners AM9 6C 71 B X	available with 6 burners AM9 6C 81 B X





AMERICANA	90 5-Burners Electric Oven BVI AM9 5C 61 B VI	90 5-Burners Gas Oven Electric Grill BVI AM9 5C 71 B VI	90 5-Burners Gas Oven Gas Grill BVI AM9 5C 81 B VI
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	matt burgundy	matt burgundy	matt burgundy
Option	available in matt cream AM9 5C 61 B CR available in matt black AM9 5C 61 B NE available with 6 burners matt burgundy AM9 6C 61 B VI matt cream AM9 6C 61 B CR matt black AM9 6C 61 B VI	available in matt cream AM9 5C 71 B CR available in matt black AM9 5C 71 B NE available with 6 burners matt burgundy AM9 6C 71 B VI matt cream AM9 6C 71 B CR matt black AM9 6C 71 B VI	available in matt cream AM9 5C 81 B CR available in matt black AM9 5C 81 B NE available with 6 burners matt burgundy AM9 6C 81 B VI matt cream AM9 6C 81 B CR matt black AM9 6C 81 B VI





AMERICANA	**70 5-Burners Electric Oven BX** **AM7 5C 61 B X**
Size	70 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power	
triple ring	3,8 kW
rapid	3 kW
semi-rapid	1,75 kW
auxiliary	1 kW
Oven	electric multifunction 9 settings:
oven overall volume	69 L
oven usable volume	53 L
oven power	2,9 kW
grill power	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass
Dimensions	
width	695 mm
height	870-940 mm
depth	600 mm
Colour	stainless steel

AMERICANA	**70 5-Burners Gas Oven Electric Grill BX** **AM7 5C 71 B X**
Size	70 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power	
triple ring	3,8 kW
rapid	3 kW
semi-rapid	1,75 kW
auxiliary	1 kW
Oven	fan assisted gas oven with electric grill:
oven overall volume	69 L
oven usable volume	53 L
oven power	3 kW
grill power	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass
Dimensions	
width	695 mm
height	870-940 mm
depth	600 mm
Colour	stainless steel

AMERICANA	60 4-Burners Electric Oven BX	60 4-Burners Gas Oven Electric Grill BX
	AM6 4C 61 B X	**AM6 4C 71 B X**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel

AMERICANA	60 4-Burners Electric Oven BVI	60 4-Burners Gas Oven Electric Grill BVI
	AM6 4C 61 B VI	**AM6 4C 71 B VI**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large knobs with soft touch, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	matt burgundy	matt burgundy
Option	available in matt cream AM6 4C 61 B CR available in matt black AM6 4C 61 B NE	available in matt cream AM6 4C 71 B CR available in matt black AM6 4C 71 B NE

AMERICANA	90 5-Burners, 2 Ovens Electric CX	90 5-Burners, 2 Ovens Gas, Electric CX
	AMD 5C 61 C X	**AMD 5C 71 C X**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel

AMERICANA	90 5-Burners, 2 Ovens Electric CVI	90 5-Burners, 2 Ovens Gas, Electric CVI
	AMD 5C 61 C VI	**AMD 5C 71 C VI**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	matt burgundy	matt burgundy
Option	available in matt cream AMD 5C 61 C CR available in matt black AMD 5C 61 C NE	available in matt cream AMD 5C 71 C CR available in matt black AMD 5C 71 C NE

AMERICANA	90 5-Burners Electric Oven CX AM9 5C 61 C X	90 5-Burners Gas Oven Electric Grill CX AM9 5C 71 C X	90 5-Burners Gas Oven Gas Grill CX AM9 5C 81 C X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 2 electric hotplates AM9 42 61 C X		





AMERICANA	90 5-Burners Electric Oven CVI AM9 5C 61 C VI	90 5-Burners Gas Oven Electric Grill CVI AM9 5C 71 C VI	90 5-Burners Gas Oven Gas Grill CVI AM9 5C 81 C VI
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	matt burgundy	matt burgundy	matt burgundy
Option	available in matt cream AM9 5C 61 C CR available in matt black AM9 5C 61 C NE available with 2 electric hotplates matt burgundy AM9 42 61 C VI matt cream AM9 42 61 C CR matt black AM9 42 61 C NE	available in matt cream AM9 5C 71 C CR available in matt black AM9 5C 71 C NE	available in matt cream AM9 5C 81 C CR available in matt black AM9 5C 81 C NE





AMERICANA	80x50 5-Burners Electric Oven CX AM8 5C 61 C X	80x50 5-Burners Gas Oven Electric Grill CX AM8 5C 71 C X	80x50 5-Burners Gas Oven Gas Grill CX AM8 5C 81 C X
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,5 kW	2,65 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available with 2 electric hotplates AM8 42 61 C X		



AMERICANA	80x50 5-Burners Electric Oven CVI AM8 5C 61 C VI	80x50 5-Burners Gas Oven Electric Grill CVI AM8 5C 71 C VI	80x50 5-Burners Gas Oven Gas Grill CVI AM8 5C 81 C VI
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,5 kW	2,65 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	matt burgundy	matt burgundy	matt burgundy
Option	available in matt cream AM8 5C 61 C CR available in matt black AM8 5C 61 C NE available with 2 electric hotplates matt burgundy AM8 42 61 C VI matt cream AM8 42 61 C CR matt black AM8 42 61 C NE	available in matt cream AM8 5C 71 C CR available in matt black AM8 5C 71 C NE	available in matt cream AM8 5C 81 C CR available in matt black AM8 5C 81 C NE



AMERICANA	60 4-Burners Electric Oven CX	60 4-Burners Gas Oven Electric Grill CX
	AM6 4C 61 C X	**AM6 4C 71 C X**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available with 1 electric hotplate AM6 51 61 C X available with 4 radiant zones AM6 0E 60 C X available with 4 burners AM6 40 61 C X	available with 4 burners AM6 40 71 C X



AMERICANA	60 4-Burners Electric Oven CVI	60 4-Burners Gas Oven Electric Grill CVI
	AM6 4C 61 C VI	**AM6 4C 71 C VI**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped metal oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	matt burgundy	matt burgundy
Option	available in matt cream AM6 4C 61 C CR available in matt black AM6 4C 61 C NE available with 4 burners matt burgundy AM6 40 61 C VI matt cream AM6 40 61 C CR matt black AM6 40 61 C NE available with 1 electric hotplate matt burgundy AM6 51 61 C VI matt cream AM6 51 61 C CR matt black AM6 51 61 C NE available with 4 radiant zones matt burgundy AM6 0E 60 C VI matt cream AM6 0E 60 C CR matt black AM6 0E 60 C NE	available in matt cream AM6 4C 71 C CR available in matt black AM6 4C 71 C NE available with 4 burners matt burgundy AM6 40 71 C VI matt cream AM6 40 71 C CR matt black AM6 40 71 C NE



AMERICANA	60x50 4-Burners Electric Oven CX	60x50 4-Burners Gas Oven Electric Grill CX
	AM1 40 61 C X	**AM1 40 71 C X**
Size	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners
Burner Power		
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
oven overall volume	69 L	69 L
oven usable volume	53 L	53 L
oven power	2,9 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, upstand, large section enamel pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, upstand, large section enamel pan supports, analogic clock, large knobs with soft touch, one-hand ignition, U-shaped stainless steel oven door, triple glass door, wide removable inner glass
Dimensions		
width	595 mm	595 mm
height	853-923 mm	853-923 mm
depth	500 mm	500 mm
Colour	stainless steel	stainless steel

AMERICANA	90 5-Burners, 2 Ovens Electric DX	90 5-Burners, 2 Ovens Gas, Electric DX
	AMD 5C 61 D X	**AMD 5C 71 D X**
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:
auxiliary oven	electric conventional	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	51 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass
Dimensions		
width	895 mm	895 mm
height	853-923 mm	853-923 mm
depth	600 mm	600 mm
Colour	stainless steel	stainless steel
Option	available in white AMD 5C 61 D W	available in white AMD 5C 71 D W



AMERICANA	90 5-Burners Electric Oven DX AM9 5C 41 D X	90 5-Burners Gas Oven Gas Grill DX AM9 5C 31 D X	90 5-Burners Gas Oven Electric Grill DX AM9 5C 21 D X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available in white AM9 5C 41 D W	available in white AM9 5C 31 D W	available in white AM9 5C 21 D W

available with 1 electric hotplate
stainless steel AM9 81 41 D X
white AM9 81 41 D W
available with 2 electric hotplates
stainless steel AM9 42 41 D X
white AM9 42 41 D W



AMERICANA	90 5-Burners Electric Oven, Storage Compartment DX AMP 5C 41 D X	90 5-Burners Gas Oven Gas Grill, Storage Compartment DX AMP 5C 31 D X	90 5-Burners Gas Oven, Electric Grill Storage Compartment DX AMP 5C 21 D X
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	51 L	51 L	51 L
oven power	2,2 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available in white AMP 5C 41 D W	available in white AMP 5C 31 D W	available in white AMP 5C 21 D W

available with 1 electric hotplate
stainless steel AMP 81 41 D X
white AMP 81 41 D W
available with 2 electric hotplates
stainless steel AMP 42 41 D X
white AMP 42 41 D W



AMERICANA	80 5-Burners Electric Oven DX AM8 5C 41 D X	80 5-Burners Gas Oven Gas Grill DX AM8 5C 31 D X	80 5-Burners Gas Oven Electric Grill DX AM8 5C 21 D X
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric oven:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available in white AM8 5C 41 D W available with 2 electric hotplates stainless steel AM8 42 41 D X white AM8 42 41 D W	available in white AM8 5C 31 D W	available in white AM8 5C 21 D W





AMERICANA	60 4-Burners Electric Oven DX AM6 40 51 D X	60 4-Burners Gas Oven Gas Grill DX AM6 40 31 D X	60 4-Burners Gas Oven Electric Grill DX AM6 40 21 D X
Size	60 x 60 cm	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners	4 aluminum gas burners
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 4 settings:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,2 kW	3 kW	3 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door
Dimensions			
width	595 mm	595 mm	595 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available in white AM6 40 51 D W available with 4 burners stainless steel AM6 40 51 D X white AM6 40 51 D W available with 1 electric hotplate stainless steel AM6 51 51 D X white AM6 51 51 D W available with 4 radiant zones stainless steel AM6 0E 50 D X white AM6 0E 50 D W	available in white AM6 40 31 D W available with 4 burners stainless steel AM6 40 31 D X white AM6 40 31 D W	available in white AM6 40 21 D W available with 4 burners stainless steel AM6 40 21 D X white AM6 40 21 D W

AMERICANA	60x50 4-Burners Electric Oven DX AM1 40 51 D X	60x50 4-Burners Gas Oven Gas Grill DX AM1 40 31 D X	60 4-Burners Gas Oven Electric Grill DX AM1 40 21 D X
Size	60 x 50 cm	60 x 50 cm	60 x 50 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners	4 aluminum gas burners
Burner Power			
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 4 settings:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,2 kW	3 kW	3 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray,1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door	stainless steel single piece worktop, aluminum burners, worktop lid, large section enamel pan supports, minute minder, large knobs with soft touch, one-hand ignition, black glass oven door, double glass door
Dimensions			
width	595 mm	595 mm	595 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	stainless steel	stainless steel	stainless steel
Option	available in white AM1 40 51 D W	available in white AM1 40 31 D W	available in white AM1 40 21 D W

AMERICANA	90 Hood HOC90VICF	60 Hood HOC60VICF
Size	90 cm	60 cm
Extraction Power	up to 520 m³h	up to 520 m³h
Filters	aluminum mesh	aluminum mesh
Noise	62 dbA	62 dbA
Controls	push buttons	push buttons
Lights	halogen lamps 2 x 40 W	halogen lamps 2 x 40 W
Electrical Requirements	220/240 V, 50/60 Hz	220/240 V, 50/60 Hz
Colour	matt burgundy	matt burgundy
Option	available in matt cream HOC90CRCF available in matt black HOC90NCF	available in matt cream HOC60CRCF available in matt black HOC60NCF

AMERICANA	90 Hood	60 Hood
	K90AMBX	**K60AMBX**
Size	90 cm	60 cm
Extraction Power	up to 1000 m³h	up to 1000 m³h
Filters	aluminum mesh	aluminum mesh
Noise	61 dbA	61 dbA
Controls	electronic	electronic
Lights	halogen lamps 2 x 40 W	halogen lamps 2 x 40 W
Electrical Requirements	220/240 V, 50/60 Hz	220/240 V, 50/60 Hz
Colour	stainless steel	stainless steel

AMERICANA	90 Hood
	K90AMBVI
Size	90 cm
Extraction Power	up to 1000 m³h
Filters	aluminum mesh
Noise	61 dbA
Controls	electronic
Lights	halogen lamps 2 x 40 W
Electrical Requirements	220/240 V, 50/60 Hz
Colour	matt burgundy
Option	available in matt cream K90AMB CR available in matt black K90AMB N

Bertazzoni La Germania

Epoca

EPOCA	**60 Electric 9-Function Oven** **F668CN9NE**
Size	60 x 60 cm
Oven	electric 9 functions:
volume	65 L
nominal power	2,8 kW
oven equipment	1 oven tray, 2 wire shelves, 1 grill mesh
Energy class	A
Features	end of cooking , analogic clock, antique brass knobs, “Easy to Clean” enamel, metal door frame, double glass door, cooling fan, 2 oven lights, 5 oven levels, 50-250° temperature range, energy rating A, 220-240 V / 50-60 Hz electrical requirement
Dimensions	
width	598 mm
height	600 mm
depth	544 mm
Colour	matt black
Option	available in matt cream F668CN9CR available in matt burgundy F668CN9VI

EPOCA	**90 3-Brass Burners Gas Hob** **P9C0 1 CN9 NE**
Size	86 x 50 cm
Worktop	3 brass gas burners including two lateral brass dual wok burners (5 kW)
Burner Power	
dual wok	5 kW
rapid	-
semi-rapid	1,75 kW
auxiliary	-
Features	cast iron pan support, heavy gauge matt enamelled burner caps, antique brass knobs , flame failure device, one hand ignition
Colour	matt black
Option	available in matt cream P9C0 1 CN9 CR available in stainless steel P9C0 1 CN9 X



EPOCA	90 5-Burners Gas Hob **P910 1 CN9 NE**	75 5-Burners Gas Hob **P710 1 CN9 NE**
Size	86 x 50 cm	74 x 50 cm
Worktop	5 burners including central triple ring burner	5 burners including central triple ring burner
Burner Power triple ring rapid semi-rapid auxiliary	 3,8 kW 3,0 kW 1,75 kW 1,0 kW	 3,8 kW 3,0 kW 1,75 kW 1,0 kW
Features	cast iron pan support, heavy gauge matt enamelled burner caps, antique brass knobs, flame failure device, one hand ignition	cast iron pan support, heavy gauge matt enamelled burner caps, antique brass knobs, flame failure device, one hand ignition
Colour	matt black	matt black
Option	available in matt cream P910 1 CN9 CR available in stainless steel P910 1 CN9 X	available in matt cream P710 1 CN9 CR available in stainless steel P710 1 CN9 X



EPOCA	60 4-Brass Burners Gas Hob **P680 1 CN9 NE**
Size	59 x 50 cm
Worktop	4 brass burners including lateral triple burner
Burner Power triple ring rapid semi-rapid auxiliary	 3,8 kW 3,0 kW 1,75 kW 1,0 kW
Features	cast iron pan support, heavy gauge matt enamelled burner caps, antique brass knobs, flame failure device, one hand ignition
Colour	matt black
Option	available in matt cream P680 1 CN9 CR available in stainless steel P680 1 CN9 X

EPOCA	90 5-Brass Burners, 2 Ovens Electric ANE CND 5C 61 A NE	90 5-Brass Burners, 2 Ovens Gas, Electric ANE CND 5C 71 A NE
Size	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power		
dual wok	5 kW	5 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill
auxiliary oven	electric conventional:	electric conventional:
main oven overall volume	69 L	69 L
main oven usable volume	52 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, worktop handrail, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toe kick panel
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	matt black	matt black
Option	available in matt cream CND 5C 61 A CR available in matt burgundy CND 5C 61 A VI available with 6 burners matt black CND 6C 61 A NE matt cream CND 6C 61 A CR matt burgundy CND 6C 61 A VI	available in matt cream CND 5C 71 A CR available in matt burgundy CND 5C 71 A VI available with 6 burners matt black CND 6C 71 A NE matt cream CND 6C 71 A CR matt burgundy CND 6C 71 A VI





EPOCA	90 5-Brass Burners Electric Oven ANE CN9 5C 61 A NE	90 5-Brass Burners Gas Oven Electric Grill ANE CN9 5C 71 A NE	90 5-Brass Burners Gas Oven Gas Grill ANE CN9 5C 81 A NE
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner	5 brass gas burners including central 5 kW dual wok burner
Burner Power			
dual wok	5 kW	5 kW	5 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, cast iron pan supports, handrail for worktop, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, cast iron pan supports, handrail for worktop, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toekick panel	stainless steel single piece worktop, brass burners, 5 kW dual burner, upstand, cast iron pan supports, handrail for worktop, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass, toekick panel
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN9 5C 61 A CR available in matt burgundy CN9 5C 61 A VI available with 6 burners matt black CN9 6C 61 A NE matt cream CN9 6C 61 A CR matt burgundy CN9 6C 61 A VI	available in matt cream CN9 5C 71 A CR available in matt burgundy CN9 5C 71 A VI available with 6 burners matt black CN9 6C 71 A NE matt cream CN9 6C 71 A CR matt burgundy CN9 6C 71 A VI	available in matt cream CN9 5C 81 A CR available in matt burgundy CN9 5C 81 A VI available with 6 burners matt black CN9 6C 81 A NE matt cream CN9 6C 81 A CR matt burgundy CN9 6C 81 A VI





EPOCA	90 5-Burners, 2 Ovens Electric BNE CND 5C 61 B NE	90 5-Burners, 2 Ovens Gas, Electric BNE CND 5C 71 B NE
Size	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power		
triple ring	3,8 kW	3,8 kW
rapid	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW
Oven		
main oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill
auxiliary oven	electric conventional:	electric conventional
main oven overall volume	69 L	69 L
main oven usable volume	52 L	51 L
auxiliary oven overall volume	47 L	47 L
auxiliary oven usable volume	35 L	35 L
oven power	4,4 kW	3 kW
grill power	-	-
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised gold, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised gold, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions		
width	895 mm	895 mm
height	870-940 mm	870-940 mm
depth	600 mm	600 mm
Colour	matt black	matt black
Option	available in matt cream CND 5C 61 B CR available in matt burgundy CND 5C 61 B VI available with 6 burners matt black CND 6C 61 B NE matt cream CND 6C 61 B CR matt burgundy CND 6C 61 B VI	available in matt cream CND 5C 71 B CR available in matt burgundy CND 5C 71 B VI available with 6 burners matt black CND 6C 71 B NE matt cream CND 6C 71 B CR matt burgundy CND 6C 71 B VI





EPOCA	90 5-Burners Electric Oven BNE CN9 5C 61 B NE	90 5-Burners Gas Oven Electric Grill BNE CN9 5C 71 B NE	90 5-Burners Gas Oven Gas Grill BNE CN9 5C 81 B NE
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN9 5C 61 B CR available in matt burgundy CN9 5C 61 B VI available with 6 burners matt black CN9 6C 61 B NE matt cream CN9 6C 61 B CR matt burgundy CN9 6C 61 B VI	available in matt cream CN9 5C 71 B CR available in matt burgundy CN9 5C 71 B VI available with 6 burners matt black CN9 6C 71 B NE matt cream CN9 6C 71 B CR matt burgundy CN9 6C 71 B VI	available in matt cream CN9 5C 81 B CR available in matt burgundy CN9 5C 81 B VI available with 6 burners matt black CN9 6C 81 B NE matt cream CN9 6C 81 B CR matt burgundy CN9 6C 81 B VI





EPOCA	60 4-Burners Electric Oven BNE CN6 4C 61 B NE	60 4-Burners Gas Oven Electric Grill BNE CN6 4C 71 B NE	60 4-Burners Gas Oven Gas Grill BNE CN6 4C 81 B NE
Size	60 x 60 cm	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,9 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring, upstand, cast iron pan supports, oven thermometer, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	595 mm	595 mm	595 mm
height	870-940 mm	870-940 mm	870-940 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN6 4C 61 B CR available in matt burgundy CN6 4C 61 B VI	available in matt cream CN6 4C 71 B CR available in matt burgundy CN6 4C 71 B VI	available in matt cream CN6 4C 81 B CR available in matt burgundy CN6 4C 81 B VI

EPOCA	60 4-Burners Electric Oven CNE CN9 5C 61 C NE	60 4-Burners Gas Oven Electric Grill CNE CN9 5C 71 C NE	60 4-Burners Gas Oven Gas Grill CNE CN9 5C 81 C NE
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	3 kW	4,5 kW	3,7 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	A	A
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN9 5C 61 C CR available in matt burgundy CN9 5C 61 C VI	available in matt cream CN9 5C 71 C CR available in matt burgundy CN9 5C 71 C VI	available in matt cream CN9 5C 81 C CR available in matt burgundy CN9 5C 81 C VI

available with 2 electric hotplates
matt black CN9 42 61 C NE
matt cream CN9 42 61 C CR
matt burgundy CN9 42 61 C VI





EPOCA	80x50 5-Burners Electric Oven CNE CN8 5C 61 C NE	80x50 5-Burners Gas Oven Electric Grill CNE CN8 5C 71 C NE	80x50 5-Burners Gas Oven Gas Grill CNE CN8 5C 81 C NE
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including lateral 3,8 kW triple ring burner	5 aluminum gas burners including lateral 3,8 kW triple ring burner	5 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	2,8 kW	3,5 kW	2,65 kW
grill power	-	-	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	800 mm	800 mm	800 mm
height	853-953 mm	853-953 mm	853-953 mm
depth	500 mm	500 mm	500 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN8 5C 61 C CR available in matt burgundy CN8 5C 61 C VI	available in matt cream CN8 5C 71 C CR available in matt burgundy CN8 5C 71 C VI	available in matt cream CN8 5C 81 C CR available in matt burgundy CN8 5C 81 C VI

available with 2 electric hotplates
matt black CN8 42 61 C NE
matt cream CN8 42 61 C CR
matt burgundy CN8 42 61 C VI





EPOCA	60 4-Burners Electric Oven CNE CN6 4C 61 C NE	60 4-Burners Gas Oven Electric Grill CNE CN6 4C 71 C NE	60 4-Burners Gas Oven Gas Grill CNE CN6 4C 81 C NE
Size	60 x 60 cm	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner	4 aluminum gas burners including lateral 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	electric multifunction 9 settings:	fan assisted gas oven with electric grill:	fan assisted gas oven with gas grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	2,9 kW	3,5 kW	2,65 kW
grill power	-	- kW	2 kW
oven equipment	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh	1 enamelled baking tray, 2 wire shelves, 1 grill mesh
Energy class	A	-	-
Features	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass	stainless steel single piece worktop, aluminum burners, 3,8 kW triple ring burner, upstand, light cast iron pan supports, analogic clock, large gold anodised knobs, one-hand ignition, metal oven door, triple glass door, wide removable inner glass
Dimensions			
width	595 mm	595 mm	595 mm
height	853-953 mm	853-953 mm	853-953 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black
Option	available in matt cream CN6 4C 61 C CR available in matt burgundy CN6 4C 61 C CR	available in matt cream CN6 4C 71 C CR available in matt burgundy CN6 4C 71 C CR	available in matt cream CN6 4C 81 C CR available in matt burgundy CN6 4C 81 C CR

available with 4 burners
matt black CN6 40 61 C NE
matt cream CN6 40 61 C CR
matt burgundy CN6 40 61 C VI

available with 4 burners
matt black CN6 40 71 C NE
matt cream CN6 40 71 C CR
matt burgundy CN6 40 71 C VI

available with 4 burners
matt black CN6 40 81 C NE
matt cream CN6 40 81 C CR
matt burgundy CN6 40 81 C VI

EPOCA	90 5-Burners Gas Oven Electric Grill DNE CN9 5C 71 D NE	90 5-Burners Gas Oven Gas Grill DNE CN9 5C 31 D NE	90 5-Burners Gas Oven Electric Grill DNE CN9 5C 21 D NE
Size	90 x 60 cm	90 x 60 cm	90 x 60 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	fan assisted gas oven with electric grill:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	124 L	124 L	124 L
oven usable volume	97 L	97 L	97 L
oven power	4,5 kW	3,7 kW	4,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	-	-	-
Features	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door
Dimensions			
width	895 mm	895 mm	895 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black



EPOCA	80x50 5-Burners Gas Oven Electric Grill DNE CN8 5C 71 D NE	80x50 5-Burners Gas Oven Gas Grill DNE CN8 5C 31 D NE	80x50 5-Burners Gas Oven Electric Grill DNE CN8 5C 21 D NE
Size	80 x 50 cm	80 x 50 cm	80 x 50 cm
Worktop	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner	5 aluminum gas burners including central 3,8 kW triple ring burner
Burner Power			
triple ring	3,8 kW	3,8 kW	3,8 kW
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	fan assisted gas oven with electric grill:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	92 L	92 L	92 L
oven usable volume	80 L	80 L	80 L
oven power	3,5 kW	2,65 kW	3,5 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	-	-	-
Features	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, 3,8 kW triple ring burner, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door
Dimensions			
width	800 mm	800 mm	800 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	500 mm	500 mm	500 mm
Colour	matt black	matt black	matt black



EPOCA	60 4-Burners Gas Oven Electric Grill DNE CN6 40 71 D NE	60 4-Burners Gas Oven DNE CN6 40 31 D NE	60 4-Burners Gas Oven Electric Grill DNE CN6 40 21 D NE
Size	60 x 60 cm	60 x 60 cm	60 x 60 cm
Worktop	4 aluminum gas burners	4 aluminum gas burners	4 aluminum gas burners
Burner Power			
rapid	3 kW	3 kW	3 kW
semi-rapid	1,75 kW	1,75 kW	1,75 kW
auxiliary	1 kW	1 kW	1 kW
Oven	fan assisted gas oven with electric grill:	gas oven with gas grill:	gas oven with electric grill:
oven overall volume	69 L	69 L	69 L
oven usable volume	53 L	53 L	53 L
oven power	3 kW	3 kW	3 kW
grill power	-	2 kW	-
oven equipment	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf	1 enamelled baking tray, 1 wire shelf
Energy class	-	-	-
Features	matt black enamelled single piece worktop, aluminum burners, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door	matt black enamelled single piece worktop, aluminum burners, worktop lid, large enamel pan supports, minute minder, large gold anodised knobs, one-hand ignition, double glass door
Dimensions			
width	595 mm	595 mm	595 mm
height	853-923 mm	853-923 mm	853-923 mm
depth	600 mm	600 mm	600 mm
Colour	matt black	matt black	matt black

EPOCA	90 Hood K90AMBVI	60 Hood K60AMB VI
Size	90 cm	60 cm
Extraction Power	up to 1000 m³h	up to 1000 m³h
Filters	aluminum mesh	aluminum mesh
Noise	61 dbA	61 dbA
Controls	electronic	electronic
Lights	halogen lamps 2 x 40 W	halogen lamps 2 x 40 W
Electrical Requirements	220/240 V, 50/60 Hz	220/240 V, 50/60 Hz
Colour	matt burgundy	matt burgundy
Option	available in matt cream K90AMB CR available in matt black K90AMB N	available in matt cream K60AMB CR available in matt black K60AMB NE

BERTAZZONI LA GERMANIA EPOCA

EPOCA	90 Hood	60 Hood
	HOC90VICF	**HOC60VICF**
Size	90 cm	60 cm
Extraction Power	up to 520 m³h	up to 520 m³h
Filters	aluminum mesh	aluminum mesh
Noise	62 dbA	62 dbA
Controls	push buttons	push buttons
Lights	halogen lamps 2 x 40 W	halogen lamps 2 x 40 W
Electrical Requirements	220/240 V, 50/60 Hz	220/240 V, 50/60 Hz
Colour	matt burgundy	matt burgundy
Option	available in matt cream HOC90CRCF available in matt black HOC90NCF	available in matt cream HOC60CRCF available in matt black HOC60NCF

Bertazzoni La Germania

Accessories

SPLASHBACK	901051	901050
Size	90 cm	60 cm
Dimensions	895 mm x 690 mm x 20 mm	595 mm x 690 mm x 20 mm
Features	utensil bar	utensil bar
Colour	stainless steel	stainless steel

SPLASHBACK	901348	901347
Size	90 cm	60 cm
Dimensions	895 mm x 690 mm x 20 mm	595 mm x 690 mm x 20 mm
Features	without utensil bar	without utensil bar
Colour	stainless steel	stainless steel

TOEKICK PANEL	910990	910991	900989
Size	90 cm	70 cm	60 cm
Dimensions			
width	895 mm	695 mm	595 mm
height	588 mm	588 mm	588 mm
depth	144 mm	144 mm	144 mm
Colour	stainless steel	stainless steel	stainless steel

STAINLESS STEEL GRIDDLE	SG36X
Dimensions	260 mm x 510 mm
Features	for 6 burners worktop
Colour	stainless steel

IRON GRIDDLE	C I PAN
Dimensions	430 mm x 230 mm x 30 mm
Features	placed over one burner for integrated griddling on your worktop
Colour	cast iron

Bertazzoni La Germania

Installation diagrams

90 Width Double Oven Cookers
squared worktop
Americana A-B series
Futura A-B series
Epoca A-B series











90 Width Double Oven Cookers
Americana C-D series
Futura C-D series
Epoca C-D series











90 Width Single Cavity Cookers
squared worktop
Americana A-B series
Futura A-B series
Epoca A-B series











90 Width Single Cavity Cookers
Americana C-D series
Futura C-D series
Epoca C-D series











80 Width Cookers
Americana C-D series
Futura C-D series
Epoca C-D series











70 Width Cookers
squared worktop
Americana A-B series
Futura A-B series











60 Width Cookers
squared worktop
Americana B series
Futura A-B series
Epoca B series











60 Width Cookers
Americana C-D series
Futura C-D series
Epoca C-D series











60 Width-50 Depth Cookers
Americana C-D series
Futura C-D series







F668D9X/12
F660D9X/12
F670D9X/12
F680D9X/12
F650D9X/12
F650D9W/12
F650D9N/12
F650E9X/12
F670E9X/12
F680E9X/12
F668CN9NE



F45MWOD9X



F980D9X/12





F969D9X/12





M45 CAF X



WD60 CON X/12
WD60 PRO X/12





P680 1 H9 XT
P680 1 H9 X
P680 1 D9 X
P640 1 D9 X
P650 1 D9 X T
P650 1 D9 X
P680 1 CN9 NE



P640 1 G9 X/12
P64L EL X



P9C 01 G9 XT



P7C 01 G9 XT



P710 1 D9 X
P710 1 CN9 NE



P710 1 G9 X/12
P75L EL X
P75C EL X



P90CD9X/12



P60CD9X/12



P30CD9X/12

P910 1 K9 XT
P910 1 K9 X
P910 1 H9 XT
P910 1 H9 X
P910 1 D9 X
P9C0 1 D9 X T
P950 1 D9 X T
P950 1 D9 X
P9C0 1 CN9 NE
P910 1 CN9 NE



P910 1 G9 X/12
P95L EL X
P95C EL X



P6 4I E0 N



P6 4I T0 N



K9G9X



K6G9X



K90AMBX
K90AMBN
K90AMBCR
K90AMBVI



K60AMBX



HOC90VICF
HOC90CRCF
HOC90NCF



HOC60VICF
HOC60CRCF
HOC60NCF



Disclaimer

While every care is taken to insure that the information in these pages is correct it may be subject to technical inaccuracies or typographical errors. The specifications may vary from territory to territory and are subject to change without notice.

©Bertazzoni SpA 2013

Printed in Italy

Bertazzoni La Germania and the winged wheel brand icon are registrered trademarks of Bertazzoni Spa.

TO COOK BEAUTIFULLY
bertazzoni.com

CAT307533